



針狀軸承

Needle Roller Bearings

單向軸承

Drawn Cup Roller Clutches



AXK/NTB 針狀推力軸承 AXK/NTB Thrust Needle Roller Bearing



軸承型號 Bearing No. 標本代號 NTB	主要尺寸(mm) Dimensions			質量 Mass (g)	基本額定動負載 Basic Load Rating C(kg)
	d	D	C		
NTB 1024	10	24	2	3.3	720
NTB 1226	12	26	2	3.8	840
NTB 1528	15	28	2	4.1	800
NTB 1628	16	29	2	4.3	910
NTB 1730	17	30	2	4.5	930
NTB 1831	18	31	2	4.7	950
NTB 2035	20	35	2	6.1	1220
NTB 2542	25	42	2	8.2	1400
NTB 3047	30	47	2	9.4	1500
NTB 3552	35	52	2	10.8	1580
NTB 4060	40	60	3	22	2450
NTB 4565	45	65	3	24.5	2620
NTB 5070	50	70	3	26.5	2800
NTB 5575	55	75	3	35.5	3210
NTB 6080	60	80	3	38.5	3340
NTB 6585	65	85	3	41.5	3470
NTB 7090	70	90	4	61	4310
NTB 75100	75	100	4	66	4400
NTB 80105	80	105	4	68.5	4400
NTB 85110	85	110	4	72	4550
NTB 90120	90	120	4	90	5800
NTB 100135	100	135	4	119	8760
NTB 110145	110	145	4	120	7220
NTB 120155	120	155	4	120	7410
NTB 130170	130	170	5	225	10700



AS 針狀推力軸承 AS Thrust Needle Roller Bearing



軸承型號 推力軸承 AS	主要尺寸(mm)			圖號 (G)
	d	D	B	
AS 1004	10	24	1	2.9
AS 1204	12	28	1	3.2
AS 1304	13	28	1	3.4
AS 1404	14	28	1	3.6
AS 1704	17	30	1	3.7
AS 1801	18	31	1	3.9
AS 2004	20	36	1	5
AS 2042	20	42	1	6.0
AS 3047	30	47	1	7.0
AS 3502	35	52	1	8.0
AS 4060	40	60	1	12.1
AS 4565	45	65	1	13.3
AS 5070	50	70	1	14.5
AS 5575	55	75	1	15.9
AS 6080	60	80	1	22
AS 6585	65	85	1	23.5
AS 7090	70	90	1	25
AS 75100	75	100	1	26.5
AS 80105	80	105	1	28
AS 85110	85	110	1	29.5
AS 90120	90	120	1	30
AS 100135	100	135	1	32



WS 針狀推力軸承 WS Thrust Needle Roller Bearing



軸承型號 (內圈) WS	主要尺寸(mm)			重量 (g)
	d	D	h	
WS 1024	10	24	2.75	8
WS 1226	12	26	2.75	8.9
WS 1528	15	28	2.75	9.3
WS 1629	16	29	2.75	9.6
WS 1730	17	30	2.75	10.2
WS 1831	18	31	2.75	10.7
WS 2035	20	35	2.75	13.8
WS 2542	25	42	3	21
WS 3047	30	47	3	24
WS 3552	35	52	4.25	45
WS 3552	35	52	3.5	31.5
WS 3552	35	52	5.25	51
WS 4058	40	58	3.5	42.5
WS 4058	40	58	5	59
WS 4565	45	65	4	53.5
WS 4573	45	73	5.5	105
WS 5078	50	78	4	58.5
WS 5078	50	78	5.5	118
WS 5578	55	78	5	53
WS 5599	55	99	7	235
WS 6085	60	85	4.75	105
WS 6095	60	95	7.5	240
WS 60120	60	120	5	650
WS 6599	65	99	5.25	124

針狀軸承



轴承型号 (内径) WS	主要尺寸(mm)			重量 (g)
	d	D	h	
WS 60100	65	100	8	275
WS 7006	75	95	5.25	132
WS 70105	75	105	8	260
WS 70140	75	140	8	680
WS 70160	75	160	5.75	553
WS 70190	75	190	8	310
WS 80105	80	105	5.75	162
WS 80115	80	115	8.5	345
WS 80150	80	150	8	750
WS 80190	80	190	5.75	570
WS 90125	90	125	9.5	475
WS 90130	90	130	6.5	250
WS 90135	90	135	10.5	645
WS 90160	90	160	8	805
WS 100130	100	135	7	350
WS 100150	100	150	11.5	870
WS 100190	100	190	12	1820
WS 110145	110	145	7	350
WS 110160	110	160	11.5	950
WS 110200	110	200	12	2060
WS 120150	120	155	7	410
WS 120175	120	175	12	1150
WS 120220	120	220	12	2600
WS 130175	130	170	8	650

二、主要尺寸